	Application No.	Applicant(s)		
Notice of Allowability	09/687,734	KAO, SUN-CHUEH		
	Examiner	Art Unit		
	Robert D. Harlan	1713		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to RCE filed on 02/28/2007.				
2. X The allowed claim(s) is/are 1,2,4,6,10,11,14,15,18,19 and 21-23.				
<ol> <li>Acknowledgment is made of a claim for foreign priority una)</li></ol>	been received. been received in Application No	-	ion from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.				
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached				
1)  hereto or 2)  to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>				
Attachment(s)	C Nation of Informal D	stant Application		
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ul><li>5. ☐ Notice of Informal P</li><li>6. ☐ Interview Summary</li></ul>			
_	Paper No./Mail Dat	e		
<ul> <li>3.  Information Disclosure Statements (PTO/SB/08),         Paper No./Mail Date 2-28-07</li> <li>4.  Examiner's Comment Regarding Requirement for Deposit         of Biological Material</li> </ul>	7. 🗌 Examiner's Amenda	nent/Comment		
	8. X Examiner's Stateme	8.   Examiner's Statement of Reasons for Allowance		
	9.	9.  Other		

Application/Control Number: 09/687,734

Art Unit: 1713

## DETAILED ACTION

Page 2

## Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under Ex Parte Quayle, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 02/28/2007 has been entered.
- 2. The IDS filed on 02/28/2007 has been entered.

## Allowable Subject Matter/Reasons for Allowance

- 3. Claims 1-2, 4, 6, 10-11, 14-15, 18-19 and 21-23 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: The closest prior art located or identified by the Examiner is Wenzel. Wenzel teaches the mixing of a supported activator and with a transition metal compound formed from a

Application/Control Number: 09/687,734

Page 3

Art Unit: 1713

ligand and metal compound. See col. 21, lines 20-32. Wenzel further asserts that any order of mixing will suffice. See id. Wenzel further asserts the use of mineral oil to mix the catalyst followed by polymerization. See col. 21, lines 32-37. Wenzel differs from the present claims requires the supported activator, the ligand and the metal compound be brought together in the mineral oil and later fed into the polymerization reactor as a mineral oil slurry.

- 5. As of the date of this Notice of Allowability, the Examiner has not located or identified any reference that can be used singularly or in combination with another reference including Wenzel to render the present invention anticipated or obvious to one of ordinary skill in the art.
- 6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/687,734 Page 4

Art Unit: 1713

## Conclusion

- 7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert D. Harlan whose telephone number is (571) 272-1102. The examiner can normally be reached on Mon-Fri, 10 AM 8 PM.
- 8. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David W. Wu can be reached on (571) 273-1114. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 9. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (to)Tree).

Robert D. Harlan Primary Examiner Art Unit 1713